



2019 Data Report for Lake Antoine, Dickinson County

Site ID: 220028

45.8381°N, 88.0320°W

The CLMP is brought to you by:



About this report:

This report is a summary of the data that have been collected through the Cooperative Lakes Monitoring Program. The contents have been customized for your lake. The first page is a summary of the Trophic Status Indicators of your lake (Secchi Disk Transparency, Chlorophyll-a, Spring Total Phosphorus, and Summer Total Phosphorus). Where data are available, they have been summarized for the most recent field season, five years prior to the most recent field season, and since the first year your lake has been enrolled in the program.

If you did not take 8 or more Secchi disk measurements or 4 or more chlorophyll measurements, there will not be summary data calculated for these parameters. These numbers of measurements are required to ensure that the results are indicative of overall summer conditions.

If you enrolled in Dissolved Oxygen/Temperature, the summary page will have a graph of one of the profiles taken during the late summer (typically August or September). If your lake stratifies, we will use a graph showing the earliest time of stratification, because identifying the timing of this condition and the depth at which it occurs is typically the most important use of dissolved oxygen measurements.

The back of the summary page will be an explanation of the Trophic Status Index and where your lake fits on that scale.

The rest of the report will be aquatic plant summaries, Score the Shore results, and larger graphs, including all Dissolved Oxygen/Temperature Profiles that you recorded. For Secchi Disk, Chlorophyll, and Phosphorus parameters, you need to have two years of data for a graph to make logical sense. Therefore if this is the first year you have enrolled in the CLMP, you will not receive a graph for these parameters.

Remember that some lakes see a lot of fluctuation in these parameters from year to year. Until you have eight years worth of data, consider all trends to be preliminary.

To learn more about the CLMP monitoring parameters or get definitions to unknown terms, check out the CLMP Manual, found at: https://cdn.cloud1.cemah.net/wp-content/uploads/sites/63/2018/03/CLMP_Manual_2018.pdf

Thank you!

The CLMP leadership team would like to thank you for all of your efforts over the past year. The CLMP would not exist without dedicated and hardworking volunteers!

The CLMP Leadership Team is made of: Marcy Knoll Wilmes, Jean Roth, Jo Latimore, Paul Steen, Mike Gallagher, Laura Kaminski, and Erick Elgin

Questions?

If you have questions on this report or believe that the tabulated data for your lake in this report are in error please contact:


Paul Steen (psteen@hrwc.org), MiCorps Program Manager

Lake Antoine, Dickinson County 2019 CLMP Results




Secchi Disk Transparency (feet)

Year	# Readings	Min	Max	Average	Std. Dev	Carlson TSI
2019	13	9.0	20.0	13.8	3.2	39
2014-2018	66	8.0	21.5	13.8	2.8	39
1979-2013	93	9.5	20.0	13.9	1.8	39
2019 All CLMP Lakes	3392	1.5	50.0	12.8	5.8	42



Chlorophyll-a (parts per billion)

Year	# Samples	Min	Max	Median	Std. Dev	Carlson TSI
2016	5	<1.0	1.6	1.4	0.4	34
2015	5	<1.0	2.8	<1.0	1.0	<31
2019 All CLMP Lakes	635	< 1.0	42.0	2.2	3.4	39




Spring Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2016	1	5.0	5.0	5.0	NA	
2019 All CLMP Lakes	220	<= 3	100.0	14.9	11.0	

No graph: Not enough data

Summer Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2019	1	8.0	8.0	8.0	NA	34
2014-2018	4	5.0	12.0	9.0	2.9	35
2006	1	12.0	12.0	12.0		40
2019 All CLMP Lakes	281	<= 3	65.0	12.8	9.3	38



Dissolved Oxygen and Temperature Profile

This lake does not have recent (within 5 years) dissolved oxygen/water temperature data available. Consider enrolling in this parameter next year. Fish, insects, mollusks, and crustaceans need dissolved oxygen to live in water. By late summer, many lakes stratify, with cold anoxic water on the bottom and warm, oxygen rich water on the surface. Anoxic (oxygen-depleted) water occurring too close to the surface is a sign of nutrient enrichment. Understanding the pattern of dissolved oxygen and water temperature in a lake is important for assessing nutrient problems as well as the health of the biological community.

Summary

Average TSI	2019	2014-2018	1979-2013
Lake Antoine	36	35	37
All CLMP Lakes	40	40	43

With an average TSI score of 36 based on 2019 Secchi transparency and summer total phosphorus data, this lake is rated between the oligotrophic and mesotrophic lake classification. The lake leans slightly more oligotrophic than mesotrophic.

Long term monitoring shows slight downward slopes on the parameters, indicating a very slow movement toward lower nutrient levels in the lake.

* = No sample received W= Value is less than the detection limit (<3 ppb) T= Value reported is less than the reporting limit (5 ppb).
<1.0 = Chlorophyll-a: Sample value is less than limit of quantification (<1 ppb).

Trophic Status Index Explained

In 1977, limnologist Dr. Robert Carlson developed a numerical scale (0-100) where the numbers indicate the level of nutrient enrichment. Using the proper equations, we can convert results from Summer Total Phosphorus, Secchi Depth, and Chlorophyll-a to this Trophic Status Index (TSI). The TSI numbers are furthermore grouped into general categories (oligotrophic, mesotrophic, eutrophic, and hypereutrophic), to quickly give us a way to understand the general nutrient level of any lake.


The tables below give the results-to-TSI conversions for the water quality data ranges normally seen in the CLMP. The formulas for this conversion can be found in the CLMP manual: https://cdn.cloud1.cemah.net/wp-content/uploads/sites/63/2019/03/CLMP_Manual_2019.pdf

Phosphorus (ppb)	TSI Value
<5	<27
6	30
8	34
10	37
12	40
15	43
18	46
21	48
24	50
32	54
36	56
42	58
48	60
>50	>61

Secchi Depth (ft)	TSI Value
>30	<28
25	31
20	34
15	38
12	42
10	44
7.5	48
6	52
4	57
<3	>61

Chlorophyll-a (ppb)	TSI Value
<1	<31
2	37
3	41
4	44
6	48
8	51
12	55
16	58
22	61
>22	>61

TSI for Lake Antoine in 2019	
Average	36
Secchi Disk	39
Summer TP	34
Chlorophyll-a	



Oligotrophic: Generally deep and clear lakes with little aquatic plant or algae growth. These lakes maintain sufficient dissolved oxygen in the cool, deep-bottom waters during late summer to support cold water fish, such as trout and whitefish.

Mesotrophic: Lakes that fall between oligotrophic and eutrophic. Mid-ranged amounts of nutrients.

Eutrophic: Highly productive eutrophic lakes are generally shallow, turbid, and support abundant aquatic plant growth. In deep eutrophic lakes, the cool bottom waters usually contain little or no dissolved oxygen. Therefore, these lakes can only support warm water fish, such as bass and pike.

Hypereutrophic: A specialized category of eutrophic lakes. These lakes exhibit extremely high productivity, such as nuisance algae and weed growth.



Lake Antoine, Dickinson County

2015 Aquatic Plant Identification and Mapping

The Aquatic Plant Identification and Mapping survey was conducted on Lake Antoine in 2015.

This survey involves intensive sampling at multiple locations and depths around the lake to produce a complete map of all aquatic plants present in a lake. A great deal of effort is involved both on the lake and back on shore to identify plants, compile data, and develop a detailed plant map, but the result is an extremely valuable record of the plant community of the lake.

Aquatic plants were sampled along 25 transects in Lake Antoine in 2015. Below is a list of species reported, including the number of observations and average lakewide density on a scale of 0 (absent) to 4 (dense).

Common Name	Scientific Name	ID Code	# of Observations	Average Density
Eurasian or Hybrid Watermilfoil	<i>Myriophyllum spicatum</i> ; <i>Myriophyllum spicatum x sibiricum</i>	50	10	0.136986301
Chara	<i>Chara spp.</i>	20	188	2.657534247
Needle Spikerush	<i>Eleocharis acicularis</i>	24	3	0.04109589
Common Waterweed	<i>Elodea canadensis</i>	36	6	0.068493151
Slender Naiad	<i>Najas flexilis</i>	21	116	1.589041096
Nitella	<i>Nitella spp.</i>	39	2	0.02739726
Yellow Pond Lily	<i>Nuphar spp.</i>	13	6	0.068493151
White Water Lily	<i>Nymphaea odorata</i>	12	4	0.054794521
Large-leaf Pondweed	<i>Potamogeton amplifolius</i>	30	3	0.04109589
Leafy Pondweed	<i>Potamogeton foliosus</i>	37	2	0.02739726
Variable Pondweed	<i>Potamogeton gramineus</i>	31	2	0.02739726
Floating-leaf Pondweed	<i>Potamogeton natans</i>	43	8	0.109589041
White-stem Pondweed	<i>Potamogeton praelongus</i>	44	5	0.082191781
Flat-stem Pondweed	<i>Potamogeton zosteriformis</i>	33	15	0.219178082
Soft-stem Bulrush	<i>Schoenoplectus tabernaemontani</i>	7	11	0.150684932
Small Bladderwort	<i>Utricularia minor</i>	48b	2	0.02739726
Filamentous Algae	--	5	10	0.123287671

Visit the MiCorps Data Exchange (www.micorps.net) or contact the lead volunteer on the lake for more details on the survey, including sampling locations, maps, and abundance information, and for information on past surveys.


Lake Antoine, Dickinson County 2016 Score the Shore Results



The Score the Shore Habitat Assessment was conducted on Lake Antoine in 2016.

This assessment involves rating 1000 foot sections of shoreline for aquatic vegetation, shoreline vegetation, erosion, and erosion control practices (like sea walls). Each shoreline section is given three scores ranging from 0-100 for the categories of Littoral, Riparian, and Erosion Management. The three scores are averaged to produce a average section score. Then a total score is given to the entire lake by averaging all of the average section scores. A score of 0 indicates a shoreline that has been extremely disturbed by human impacts and no natural shoreline remains. A score of 100 indicates a shoreline that is nearly pristine.

How does your lake compare to others in the program?



Lake Antoine:	
Number of Sections:	27
Number of Structures:	131
Structure Density:	4.9
Final Score:	64

All 42 Participating Lakes from 2015-2018:	
Avg. Number of Sections:	16.3
Avg. Number of Structures:	248.5
Avg. Structure Density:	15.2
Avg. Final Score:	70.5


Analysis specific to Lake Antoine:

All of the 1000 foot sections scored ranged Poor through Good: 6 poor, 13 fair, and 8 good.

The lowest scoring section was section 23, which had a total score of 38 (littoral score of 44, riparian score of 36, and shoreline management score of 34), indicating habitat impairment across all three categories.


On average, the lake scored in the high fair category for both littoral zone and erosion control. This means that the lake provides habitat with fallen trees and aquatic vegetation, and there is not an excessive amount of sea walls and other shoreline erosion structures.

The weak point of Lake Antoine was the riparian zone (land adjacent to the water). To improve the riparian zone score, reduce the amount of mowed grass and increase the amount of unmowed vegetation along the lakeshore.



COOPERATIVE LAKES MONITORING PROGRAM
SUMMER MEAN TRANSPARENCY


Lake Antoine (Dickinson Co.), 220028



Vertical bars indicate standard deviation


COOPERATIVE LAKES MONITORING PROGRAM
SUMMER TOTAL PHOSPHORUS

Lake Antoine (Dickinson Co.), 220028



COOPERATIVE LAKES MONITORING PROGRAM
SUMMER MEDIAN CHLOROPHYLL-A

Lake Antoine (Dickinson Co.), 220028



Vertical bars indicate standard deviation