



2016 Trophic & Score the Shore Report
2022 Plant Report
for
Hermansville Pond, Menominee County

Site ID: 550218

The CLMP is brought to you by:



EGLE MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

MICHIGAN STATE
UNIVERSITY



About this report:

This report is a summary of the data that have been collected through the Cooperative Lakes Monitoring Program. The contents have been customized for your lake. The first page is a summary of the Trophic Status Indicators of your lake (Secchi Disk Transparency, Chlorophyll-a, Spring Total Phosphorus, and Summer Total Phosphorus). Where data are available, they have been summarized for the most recent field season, five years prior to the most recent field season, and since the first year your lake has been enrolled in the program.

If you did not take 8 or more Secchi disk measurements or 4 or more chlorophyll measurements, there will not be summary data calculated for these parameters. These numbers of measurements are required to ensure that the results are indicative of overall summer conditions.

If you enrolled in Dissolved Oxygen/Temperature, the summary page will have a graph of one of the profiles taken during the late summer (typically August or September). If your lake stratifies, we will use a graph showing the earliest time of stratification, because identifying the timing of this condition and the depth at which it occurs is typically the most important use of dissolved oxygen measurements.

The back of the summary page will be an explanation of the Trophic Status Index and where your lake fits on that scale.

The rest of the report will be aquatic plant summaries, Score the Shore results, and larger graphs, including all Dissolved Oxygen/Temperature Profiles that you recorded. For Secchi Disk, Chlorophyll, and Phosphorus parameters, you need to have two years of data for a graph to make logical sense. Therefore if this is the first year you have enrolled in the CLMP, you will not receive a graph for these parameters.

Remember that some lakes see a lot of fluctuation in these parameters from year to year. Until you have eight years worth of data, consider all trends to be preliminary.

To learn more about the CLMP monitoring parameters or get definitions to unknown terms, check out the CLMP Manual, found at: https://micorps.net/wp-content/uploads/2021/03/CLMP-Manual-2019update2_2021.pdf

Thank you!

The CLMP leadership team would like to thank you for all of your efforts over the past year. The CLMP would not exist without dedicated and hardworking volunteers!

The CLMP Leadership Team is made of: Jo Latimore, Erick Elgin, Jean Roth, Tamara Lipsey, Mike Gallagher, Melissa DeSimone, and Paul Steen

Questions?

If you have questions on this report or believe that the tabulated data for your lake in this report are in error please contact:

Paul Steen (psteen@hrwc.org), CLMP Data Analyst




Hermansville Pond, Menominee County

2016 CLMP Results


Secchi Disk Transparency (feet)

Year	# Readings	Min	Max	Average	Std. Dev	Carlson TSI
2016	8	6.0	8.5	6.8	1.1	< 50
2015	10	5.0	7.0	6.2	0.8	51
2016 All CLMP Lakes	3116	1.0	56.0	12.9	2.8	41



Chlorophyll-a (parts per billion)

Year	# Samples	Min	Max	Median	Std. Dev	Carlson TSI
2016	5	1.1	6.6	2.4	2.1	39
2015	5	1.0	4.0	3.3	1.2	42
2016 All CLMP Lakes	628	< 1.0	28.0	1.8	4.3	36




Spring Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev
2016	1	10	10	10.0	NA
2016 All CLMP Lakes	168	<= 3	74.0	9.5	7.8

No graph: Not enough data

Summer Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2016	1	55.0	55.0	55.0	NA	62
2015	1	19.0	19.0	19.0	NA	47
2016 All CLMP Lakes	173	<= 3	250.0	15.1	21.7	43



Dissolved Oxygen and Temperature Profile

This lake does not have recent (within 5 years) dissolved oxygen/water temperature data available. Consider enrolling in this parameter next year. Fish, insects, mollusks, and crustaceans need dissolved oxygen to live in water. By late summer, many lakes stratify, with cold anoxic water on the bottom and warm, oxygen rich water on the surface. Anoxic (oxygen-depleted) water occurring too close to the surface is a sign of nutrient enrichment. Understanding the pattern of dissolved oxygen and water temperature in a lake is important for assessing nutrient problems as well as the health of the biological community.

Summary

Parameter	2016	2015
Average TSI	51	47
Hermans-ville All CLMP Lakes	40	40

With an average TSI score of 51 based on transparency, chlorophyll-a, and summer total phosphorus, this lake is rated as an eutrophic lake. The results for 2016 are certainly odd; having a very high phosphorus combined with a low chlorophyll result is an unusual occurrence. Continued data collection is recommended to develop a database line that will help make sense of unusual readings.

* = No sample received W= Value is less than the detection limit (<3 ppb) T= Value reported is less than the reporting limit (5 ppb). Result is estimated.

<1.0 = Chlorophyll-a: Sample value is less than limit of quantification (<1 ppb).

< : Actual TSI is lower than given because at least one Secchi measurement was taken on the lake bottom.

Hermansville Pond, Menominee County


2016 Score the Shore Results



The Score the Shore Habitat Assessment was conducted on Hermansville Pond in 2016.

This assessment involves rating 1000 foot sections of shoreline for aquatic vegetation, shoreline vegetation, erosion, and erosion control practices (like sea walls). Each shoreline section is given three scores ranging from 0-100 for the categories of Littoral, Riparian, and Erosion Management. The three scores are averaged to produce a average section score. Then a total score is given to the entire lake by averaging all of the average section scores. A score of 0 indicates a shoreline that has been extremely disturbed by human impacts and no natural shoreline remains. A score of 100 indicates a shoreline that is nearly pristine.

How does your lake compare to others in the program?



Hermansville Pond:	
Number of Sections:	13
Number of Structures:	5
Structure Density:	0.4
Final Score:	78

All 31 Participating Lakes in 2015 and 2016:	
Avg. Number of Sections:	16
Avg. Number of Structures:	233
Avg. Structure Density:	14.6
Avg. Final Score:	66


There is a very tight relationship between Final Score and Structure Density. It will be interesting to see if and how this changes as more lakes go through this scoring process.

Analysis specific to Hermansville Pond:

Overall, the lakeshore habitat of Hermansville Pond is doing well and scored higher than average when compared to other lakes in the program. That being said, with a structure density as low as 0.4 structures per 1000 feet, the overall score should probably be closer to 90 instead of 78.

This lake scored well in the littoral score (84), meaning that (in general) erosion was low, fallen trees were present, and aquatic vegetation was present. It also did well for erosion control (86), meaning that there are a low amount of sea walls, rock rip-rap, and other shoreline erosion structures.

The riparian zone was the weak point in the Hermansville score (average of 65). Of particular concern are sections 5 and 6, which both scored a 9 for riparian zone. To most effectively raise the overall lake score, work to fix the riparian zone in these 2 sections. Reduce the amount of mowed grass and increase the amount of unmowed native vegetation along the lakeshore to boost this aspect of the shoreline habitat.



Hermansville Pond, Menominee County 2022 Exotic Aquatic Plant Watch Results



The Exotic Aquatic Plant Watch was conducted on Hermansville Pond in 2022.

This survey involves sampling at multiple locations around the lake to detect new invaders, and document the extent of known invaders. While notes on other plant species may be recorded during the survey, the effort focuses on five highly invasive species: Eurasian watermilfoil (*Myriophyllum spicatum*), starry stonewort (*Nitellopsis obtusa*), curly-leaf pondweed (*Potamogeton crispus*), European Frogbit (*Hydrocharis morsus-ranae*), and Hydrilla (*Hydrilla verticillata*).


The table below summarizes the results of the 2022 Exotic Aquatic Plant Watch on Hermansville Pond.

Hermansville Pond, Menominee County 2022 Exotic Aquatic Plant Watch Results		
Survey Date(s): September 9		
<u>Species</u>	<u>Status</u>	<u>Comments</u>
Eurasian watermilfoil	FOUND	Reported in 8 of 11 sites surveyed. No photos submitted for confirmation.
Starry stonewort	not found	
Curly-leaf pondweed	not found	
European Frogbit	not found	
Hydrilla	not found	

Visit the MiCorps Data Exchange (<https://micorps.net>) or contact the lead volunteer on your lake for more details on the survey, including sampling locations, maps, and abundance information, and for information on past surveys.


COOPERATIVE LAKES MONITORING PROGRAM
SECCHI DISK TRANSPARENCY

Hermansville Pond (Menominee Co.), 550218




COOPERATIVE LAKES MONITORING PROGRAM
SUMMER TOTAL PHOSPHORUS

Hermansville Pond (Menominee Co.), 550218



COOPERATIVE LAKES MONITORING PROGRAM
SUMMER MEDIAN CHLOROPHYLL-A

Hermansville Pond (Menominee Co.), 550218



Vertical bars indicate standard deviation