

# 2023 Data Report for

## **Bear Lake, Manistee County**

Site ID: 510122

## 44.4382°N, 86.1529°W

The CLMP is brought to you by:



## About this report:

This report is a summary of the data that have been collected through the Cooperative Lakes Monitoring Program. The contents have been customized for your lake. The first page is a summary of the Trophic Status Indicators of your lake (Secchi Disk Transparency, Chlorophyll-a, Spring Total Phosphorus, and Summer Total Phosphorus). Where data are available, they have been summarized for the most recent field season, five years prior to the most recent field season, and since the first year your lake has been enrolled in the program.

If you did not take 8 or more Secchi disk measurements or 4 or more chlorophyll measurements, there will not be summary data calculated for these parameters. These numbers of measurements are required to ensure that the results are indicative of overall summer conditions.

If you enrolled in Dissolved Oxygen/Temperature, the summary page will have a graph of one of the profiles taken during the late summer (typically August or September). If your lake stratifies, we will use a graph showing the earliest time of stratification, because identifying the timing of this condition and the depth at which it occurs is typically the most important use of dissolved oxygen measurements.

The back of the summary page will be an explanation of the Trophic Status Index and where your lake fits on that scale.

The rest of the report will be aquatic plant summaries, Score the Shore results, and larger graphs, including all Dissolved Oxygen/Temperature Profiles that you recorded. For Secchi Disk, Chlorophyll, and Phosphorus parameters, you need to have two years of data for a graph to make logical sense. Therefore if this is the first year you have enrolled in the CLMP, you will not receive a graph for these parameters.

Remember that some lakes see a lot of fluctuation in these parameters from year to year. Until you have eight years worth of data, consider all trends to be preliminary.

To learn more about the CLMP monitoring parameters or get definitions to unknown terms, check out the CLMP Manual, found at: https://micorps.net/wp-content/uploads/2021/03/CLMP-Manual-2019update2\_2021.pdf

## Thank you!

The CLMP leadership team would like to thank you for all of your efforts over the past year. The CLMP would not exist without dedicated and hardworking volunteers!

The CLMP Leadership Team is made of: Jo Latimore, Erick Elgin, Jean Roth, Tamara Lipsey, Mike Gallagher, Melissa DeSimone, and Paul Steen

## **Questions?**

If you have questions on this report or believe that the tabulated data for your lake in this report are in error please contact:

Paul Steen (psteen@hrwc.org), CLMP Data Analyst

## Bear Lake, Manistee County 2023 CLMP Results




## Secchi Disk Transparency (feet)

Year	# Readings	Min	Max	Average	Std. Dev	Carlson TSI
2021	18	9.0	20.5	12.8	3.8	40
2023 All CLMP Lakes	2817	1.0	50.0	12.7	2.9	42

No graph: Not enough data

## Chlorophyll-a (parts per billion)



## Spring Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	
2023	1	9.0	9.0	9.0	NA	
2018-2022	3	9.0	11.0	10.0	1.0	
1993-2017	10	<=3 W	9.0	5.9	1.7	
2023 All CLMP Lakes	220	<5	220.0	20.7	21.3	
Spring Total Phosphorus (ppb) 8 21 20 20 20 20 20 20 20 20 20 20 20 20 20	2 3			• •••••		_
	1992	2000	)	2008	2016	

## **Dissolved Oxygen and Temperature Profile**

This lake does not have recent (within 5 years) dissolved oxygen/water temperature data available. Consider enrolling in this parameter next year. Fish, insects, mollusks, and crustaceans need dissolved oxygen to live in water. By late summer, many lakes stratify, with cold anoxic water on the bottom and warm, oxygen rich water on the surface. Anoxic (oxygen-depleted) water occurring too close to the surface is a sign of nutrient enrichment. Understanding the pattern of dissolved oxygen and water temperature in a lake is important for assessing nutrient problems as well as the health of the biological community.

## Summer Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2023	1	6.0	6.0	6.0	NA	30
2018-2022	4	5.0	9.0	7.8	1.9	33
2008-2017	10	6.0	12.0	8.8	1.9	35
2023 All CLMP Lakes	234	<= 3	150.0	17.4	15.3	45
Summer Total Phosphorus (ppb) 0	2007	2011	20	15	2019	2023

## Summary

Average TSI	2023	2018-2022	2008-2015
Bear Lake All CLMP	30	36	38
Lakes	44	41	41

With a TSI score of 30 based on 2023 summer total phosphorus, this lake is rated as oligotrophic.

While the trends for individual parameters are mixed, the overall nutrient levels in the lake are largely unchanged since monitoring began.

Reminder: 4 chlorophyll measurements are required in order to use the data in graphs and trends.

\* = Minimum # samples not met for average/median/TSI value

<1.0 = Chlorophyll-a: Sample value is less than limit of quantification (<1 ppb).

W= Value is less than the detection limit (<3 ppb) T = Value reported is less than the reporting limit (5 ppb)

## **Trophic Status Index Explained**

In 1977, limnologist Dr. Robert Carlson developed a numerical scale (0-100) where the numbers indicate the level of nutrient enrichment. Using the proper equations, we can convert results from Summer Total Phosphorus, Secchi Depth, and Chlorophyll-a to this Trophic Status Index (TSI). The TSI numbers are furthermore grouped into general categories (oligotrophic, mesotrophic, eutrophic, and hypereutrophic), to quickly give us a way to understand the general nutrient level of any lake.

The tables below give the results-to-TSI conversions for the water quality data ranges normally seen in the CLMP. The formulas for this conversion can be found in the CLMP manual (link is on page 2 of this report).

Phosphorus			Secch	i Depth				Chlorophyll-a	a	
(ppb)	TSI Value			(ft)	TSI	Value		(ppb		SI Value
<5	<27			>30		<28		<`	1	<31
6	30			25		31			2	37
8	34			20		34			3	41
10	37			15		38		4	4	44
12	40			12		42		(	6	48
15	43			10		44		8	8	51
18	46			7.5		48		12	2	55
21	48			6		52		10	6	58
24	50			4		57		22	2	61
32	54			<3		>61		>22		>61
36	56									
42	58									
48	60		TSI for I	Bear La	<mark>ke in 202</mark> 3	}				
>50	>61		Average	)	30					
			Secchi I	Disk						
			Summer	r TP	30					
			Chlorop	hyll-a						
Oligotrophi	c Oligo/N	Meso Me	sotrophic	Meso/I	Eutro E	Eutroph	ic	Нуре	ereutrophi	с
<36	36-4	0	41-45	46-5	50	51-61			>61	
0	5	0		5	C	D		5	0	- LO

^ Average

^ Total Phosphorus

S

**Oligotrophic:** Generally deep and clear lakes with little aquatic plant or algae growth. These lakes maintain sufficient dissolved oxygen in the cool, deep-bottom waters during late summer to support cold water fish, such as trout and whitefish.

5

5

0

Mesotrophic: Lakes that fall between oligotrophic and eutrophic. Mid-ranged amounts of nutrients.

**Eutrophic:** Highly productive eutrophic lakes are generally shallow, turbid, and support abundant aquatic plant growth. In deep eutrophic lakes, the cool bottom waters usually contain little or no dissolved oxygen. Therefore, these lakes can only support warm water fish, such as bass and pike.

**Hypereutrophic:** A specialized category of euthrophic lakes. These lakes exhibit extremely high productivity, such as nuisance algae and weed growth.

## **Aquatic Plants**

Bear Lake does not have aquatic plant data available.

#### Why is monitoring aquatic plants important?

A major component of the plant community in lakes is the large, leafy, rooted plants. Compared to the microscopic algae the rooted plants are large. Sometimes they are collectively called the "macrophytes" ("macro" meaning large and "phyte" meaning plant). These macrophytes are the plants that people sometimes complain about and refer to as lake weeds.

Far from being weeds, macrophytes or rooted aquatic plants are a natural and essential part of the lake, just as grasses, shrubs and trees are a natural part of the land. Their roots are a fabric for holding sediments in place, reducing erosion and maintaining bottom stability. They provide habitat for fish, including structure for food organisms, nursery areas, foraging and predator avoidance. Waterfowl, shore birds and aquatic mammals use plants to forage on and within, and as nesting materials and cover.

Though plants are important to the lake, overabundant plants can negatively affect fish populations, fishing and other recreational activities. Rooted plant populations increase in abundance as nutrient concentrations increase in the lake. As lakes become more eutrophic rooted plant populations increase. They are rarely a problem in oligotrophic lakes, only occasionally a problem in mesotrophic lakes, sometimes a problem in eutrophic lakes.

However, sometimes a lake is invaded by an aquatic plant species that is not native to Michigan. In these cases, even nutrient poor oligotrophic lakes can be threatened. Some of these exotic plants, like Curly-leaf Pondweed, Eurasian Milfoil, Starry Stonewort, and Hydrilla can be extremely disruptive to the lake's ecosystem and recreational activities.

To avoid a takeover by exotic plants, it is necessary to use Integrated Pest Management (IPM) strategies: monitoring, early detection, rapid response, maintenance control, and preventive management. For more information on these strategies, check out Integrated Pest Management for Nuisance Exotics in Michigan Inland Lakes (MSU Extension Water Quality Publication WQ-56, available at https://micorps.net/lake-monitoring/clmp-documents/)

The CLMP offers two parameters on aquatic plants. In the Exotic Aquatic Plant Watch, volunteers concentrate on monitoring and early detection of exotic invasive plants only. In Aquatic Plant Identification and Mapping, volunteers identify all native and non-native plants. In both parameters, volunteers create lake maps or use digital tools to georeference where the plants are found.

## Score the Shore

Bear Lake does not have Score the Shore results.

#### Why is the Score the Shore parameter important?

Healthy shorelines are an important and valuable component of the lake ecosystem. The shoreline area is a transition zone between water and land, and should be a very diverse environment that provides habitat for a great variety of fish, plants, birds, and other animals. A healthy shoreline area is also essential for maintaining water quality, slowing runoff, and limiting erosion.

However, Michigan's inland lake shorelines are threatened. Extensive development, often combined with poor shoreline management practices, can reduce or eliminate natural shoreline habitat and replace it with lawn and artificial erosion control such as sea walls and rock. As a result, shoreline vegetation is dramatically altered, habitat is lost, and water quality declines.


Therefore, in 2019 the MiCorps Cooperative Lakes Monitoring Program introduced a new monitoring program – Score the Shore – that enables volunteers to assess the quality of their lake's shoreline habitat.

The information gathered during this assessment will allow lake communities to identify high-quality areas that can be protected, as well as opportunities for improvement. Score the Shore data, combined with educational resources describing the value of healthy shorelines and how to restore and maintain them, can be incorporated into lake management planning and used for educating lakefront property owners. The Michigan Natural Shoreline Partnership (MNSP) is a collaboration of agencies and professionals that promotes natural shoreline practices to protect Michigan's inland lakes. The MNSP website (www.mishorelinepartnership.org) includes materials and information that can be used in educational efforts. MNSP also offers training for professional educators and landscape contractors, and maintains a list of trained educators who may be available to speak to your community about natural shorelines.


Score the Shore data, just like all CLMP data, will also be available to any interested parties through the MiCorps Data Exchange (www.micorps.net). State agency staff and researchers regularly access CLMP data to better understand and manage Michigan's inland lakes.

Score the Shore is a descriptive process for assessing shoreline quality on Michigan's inland lakes. It is also a valuable educational tool. Score the Shore is not a regulatory program, nor is it intended to tell people what they can and cannot do on their property. The Michigan Department of Environmental Quality's Inland Lakes and Streams Program has responsibility for shoreline protection on public lakes. To learn about their shoreline protection program, including construction permitting and recommendations for shoreline management, visit www.mi.gov/deqinlandlakes.


### COOPERATIVE LAKES MONITORING PROGRAM SPRING TOTAL PHOSPHORUS



### COOPERATIVE LAKES MONITORING PROGRAM SUMMER TOTAL PHOSPHORUS



### COOPERATIVE LAKES MONITORING PROGRAM SUMMER MEDIAN CHLOROPHYLL-A




Name:Bear LakeCounty:ManisteeSite ID:510122Date:5/11/2009

## **Dissolved Oxygen and Temperature Profile**

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	14.5	10.05
5	14.5	9.91
10	14.3	10.05
15	14	10.12
17.5	13.9	10.14
20	13.9	10.13
22.5	13.9	10.04

Lake: Bear Lake (Manistee Co.)

5/11/2009




Name:Bear LakeCounty:ManisteeSite ID:510122Date:5/29/2009

## **Dissolved Oxygen and Temperature Profile**

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	16.7	7 9.29
5	16.6	<b>9.33</b>
10	16.5	5 9.32
15	16.5	5 9.3
17.5	16.5	5 9.29
20	16.5	5 9.28
22.5	16.5	5 9.3





5/29/2009



Name:Bear LakeCounty:ManisteeSite ID:510122Date:6/14/2009


Depth (ft)	Temp.(C)	D.O. (mg/L)
1	19.9	9.26
5	19.5	9.44
10	18.5	9.62
15	18.4	9.39
17.5	18.2	9.22
20	17.9	8.95






Name:Bear LakeCounty:ManisteeSite ID:510122Date:7/5/2009


Depth (ft)	Temp.(C)	D.O. (mg/L)
1	22.5	5 8.04
5	22.1	1 8.05
10	21.8	8 8.15
15	21.2	2 8.18
17.5	20.8	3 7.76
20	20.6	5 7.45






Name:Bear LakeCounty:ManisteeSite ID:510122Date:7/14/2009


Depth (ft)	Temp.(C)	D.O. (mg/L)
1	23.3	7.92
5	23	8.06
10	22.9	8.07
15	22.8	7.88
17.5	22.8	7.93
20	22.7	7.9






Name:Bear LakeCounty:ManisteeSite ID:510122Date:8/2/2009

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	21.9	) 7.97
5	21.8	3 7.93
10	21.8	3 7.83
15	21.8	8 8
17.5	21.8	3 7.95
20	21.7	7.87








Name:Bear LakeCounty:ManisteeSite ID:510122Date:8/12/2009

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	23	8.68
5	22.7	8.4
10	22.5	8.27
15	22.4	8.45
17.5	22.4	8.11
20	22.3	8.08







Name: Bear Lake County: Manistee Site ID: 510122 Date: 8/26/2009

## **Dissolved Oxygen and Temperature Profile**

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	21.6	8.4
5	21.5	6 8.2
10	21.4	8.34
15	21.4	8.32
17.5	21.3	8 8.41
20	21.3	8 8.41



Lake: Bear Lake (Manistee Co.) 8/26/2009



Name:Bear LakeCounty:ManisteeSite ID:510122Date:9/11/2009

## **Dissolved Oxygen and Temperature Profile**

9/11/2009

Depth (ft) 7	Femp.(C) D.C	D. (mg/L)
1	22.3	8.28
1	22.3	8.28
1	22.3	8.28
1	22.3	8.28
5	22.1	8.3
5	22.1	8.3
5	22.1	8.3
5	22.1	8.3
10	22	8.37
10	22	8.37
10	22	8.37
10	22	8.37
15	21.3	7.74
15	21.3	7.74
15	21.3	7.74
15	21.3	7.74
17.5	21	7.89
17.5	21	7.89
17.5	21	7.89
17.5	21	7.89

 Lake:
 Bear Lake (Manistee Co.)
 9/11/

 Dissolved Oxygen (mg/L) / Temperature (C)

