

2023 Data Report for

Birch Lake, Cass County

Site ID: 140187

41.8812°N, 85.8579°W

The CLMP is brought to you by:



About this report:

This report is a summary of the data that have been collected through the Cooperative Lakes Monitoring Program. The contents have been customized for your lake. The first page is a summary of the Trophic Status Indicators of your lake (Secchi Disk Transparency, Chlorophyll-a, Spring Total Phosphorus, and Summer Total Phosphorus). Where data are available, they have been summarized for the most recent field season, five years prior to the most recent field season, and since the first year your lake has been enrolled in the program.

If you did not take 8 or more Secchi disk measurements or 4 or more chlorophyll measurements, there will not be summary data calculated for these parameters. These numbers of measurements are required to ensure that the results are indicative of overall summer conditions.

If you enrolled in Dissolved Oxygen/Temperature, the summary page will have a graph of one of the profiles taken during the late summer (typically August or September). If your lake stratifies, we will use a graph showing the earliest time of stratification, because identifying the timing of this condition and the depth at which it occurs is typically the most important use of dissolved oxygen measurements.

The back of the summary page will be an explanation of the Trophic Status Index and where your lake fits on that scale.

The rest of the report will be aquatic plant summaries, Score the Shore results, and larger graphs, including all Dissolved Oxygen/Temperature Profiles that you recorded. For Secchi Disk, Chlorophyll, and Phosphorus parameters, you need to have two years of data for a graph to make logical sense. Therefore if this is the first year you have enrolled in the CLMP, you will not receive a graph for these parameters.

Remember that some lakes see a lot of fluctuation in these parameters from year to year. Until you have eight years worth of data, consider all trends to be preliminary.

To learn more about the CLMP monitoring parameters or get definitions to unknown terms, check out the CLMP Manual, found at: https://micorps.net/wp-content/uploads/2021/03/CLMP-Manual-2019update2_2021.pdf

Thank you!

The CLMP leadership team would like to thank you for all of your efforts over the past year. The CLMP would not exist without dedicated and hardworking volunteers!

The CLMP Leadership Team is made of: Jo Latimore, Erick Elgin, Jean Roth, Tamara Lipsey, Mike Gallagher, Melissa DeSimone, and Paul Steen

Questions?


If you have questions on this report or believe that the tabulated data for your lake in this report are in error please contact:

Paul Steen (psteen@hrwc.org), CLMP Data Analyst

Birch Lake, Cass County 2023 CLMP Results



Secchi Disk Transparency (feet)



Spring Phosphorus (parts per billion)

Year	# Samples	Min	Мах	Average	Std. Dev	
2023	1	<=3 W	<=3 W	<=3 W	NA	
2018-2022	4	6.0	11.0	9.3	2.4	
2009-2017	7	<=3 W	10.0	5.6	2.8	
2023 All CLMP Lakes	220	<5	220.0	20.7	21.3	
Spring Total Phosphorus (ppb) 7 8 21						•

0


2008

Dissolved Oxygen and Temperature Profile 9/23/23


2016

2020

2012




Chlorophyll-a (parts per billion)



Summer Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI	
2023	1	11.0	11.0	11.0	NA	39	
2018-2022	4	<5 T	11.0	6.8	3.0	31	
2009-2017	9	<=3 W	18.0	7.3	4.9	33	
2023 All CLMP							
Lakes	234	<= 3	150.0	17.4	15.3	45	



Summary

Average TSI	2023	2018-2022	2009-2017
Birch Lake	38	36	36
All CLMP Lakes	44	41	40

With an average TSI score of 38 based on 2023 Secchi transparency, chlorophyll-a, and summer total phosphorus data, this lake is rated between the oligotrophic and mesotrophic classification.

The lake keeps some dissolved oxygen in the bottom waters through mid-summer, but by late summer the lake has stratified and the bottom water is devoid of oxygen.

Long term trends indicate that the trophic status parameters have not changed beyond minor year-to year variation since monitoring began.

* = Minimum # samples not met for average/median/TSI value

<1.0 = Chlorophyll-a: Sample value is less than limit of quantification (<1 ppb).

W= Value is less than the detection limit (<3 ppb) T = Value reported is less than the reporting limit (5 ppb)

Trophic Status Index Explained

In 1977, limnologist Dr. Robert Carlson developed a numerical scale (0-100) where the numbers indicate the level of nutrient enrichment. Using the proper equations, we can convert results from Summer Total Phosphorus, Secchi Depth, and Chlorophyll-a to this Trophic Status Index (TSI). The TSI numbers are furthermore grouped into general categories (oligotrophic, mesotrophic, eutrophic, and hypereutrophic), to quickly give us a way to understand the general nutrient level of any lake.

The tables below give the results-to-TSI conversions for the water quality data ranges normally seen in the CLMP. The formulas for this conversion can be found in the CLMP manual (link is on page 2 of this report).

Phosphorus				Secch	i Depth				Chloro	phyll-a		
(ppb)	TSI Value				(ft)	-	<mark>rSI Value</mark>			(ppb)	TS	l Value
<5	<27				>30		<28			<1		<31
6	30				25		31			2		37
8	34				20		34			3		41
10	37				15		38			4		44
12	40				12		42			6		48
15	43				10		44			8		51
18	46				7.5		48			12		55
21	48				6		52			16		58
24	50				4		57			22		61
32	54				<3		>61			>22		>61
36	56							_				
42	58											
48	60			TSI for	Birch L	ake in 2	023					
>50	>61			Average	Э	38						
		-		Secchi [Disk	38						
				Summe	r TP	39						
				Chlorop		38						
Oligotrophi	c Oligo/	Meso	Meso	otrophic	Meso/	'Eutro	Eutroph	nic		Hypere	eutrophic	
<36	36-4	10	4	1-45	46-	50	51-61				>61	
6 1		L L	- 40		- 45	1 1 1	50	í	- 55	1.1	09	
			erage									
		^ See	cchi Tr	ranspare	ncy							
				hosphor								
		^ Ch	loroph	yll-a								

Oligotrophic: Generally deep and clear lakes with little aquatic plant or algae growth. These lakes maintain sufficient dissolved oxygen in the cool, deep-bottom waters during late summer to support cold water fish, such as trout and whitefish.

Mesotrophic: Lakes that fall between oligotrophic and eutrophic. Mid-ranged amounts of nutrients.

Eutrophic: Highly productive eutrophic lakes are generally shallow, turbid, and support abundant aquatic plant growth. In deep eutrophic lakes, the cool bottom waters usually contain little or no dissolved oxygen. Therefore, these lakes can only support warm water fish, such as bass and pike.

Hypereutrophic: A specialized category of euthrophic lakes. These lakes exhibit extremely high productivity, such as nuisance algae and weed growth.

Birch Lake, Cass County 2015 Exotic Aquatic Plant Watch Results



The Exotic Aquatic Plant Watch was conducted on Birch Lake in 2015.

This survey involves sampling at multiple locations around the lake to detect new invaders, and document the extent of known invaders. While notes on other plant species may be recorded during the survey, the effort focuses on four highly invasive species: Eurasian watermilfoil (*Myriophyllum spicatum*), starry stonewort (*Nitellopsis obtusa*), curly-leaf pondweed (*Potamogeton crispus*), and Hydrilla (*Hydrilla verticillata*).

The table below summarizes the results of the 2015 Exotic Aquatic Plant Watch on Birch Lake.

Birch Lake, Cass County

2015 Exotic Aquatic Plant Watch Results Survey Date(s): June 17 Species Status Comments Eurasian watermilfoil FOUND Collected at 2 sites Starry stonewort not found Collected at 2 sites Hydrilla not found Collected at 2 sites


Visit the MiCorps Data Exchange (https://micorps.net) or contact the lead volunteer on your lake for more details on the survey, including sampling locations, maps, and abundance information, and for information on past surveys.

Birch Lake, Cass County 2017 Score the Shore Results



The Score the Shore Habitat Assessment was conducted on Birch Lake in 2017.

This assessment involves rating 1000 foot sections of shoreline for aquatic vegetation, shoreline vegetation, erosion, and erosion control practices (like sea walls). Each shoreline section is given three scores ranging from 0-100 for the categories of Littoral, Riparian, and Erosion Management. The three scores are averaged to produce a average section score. Then a total score is given to the entire lake by averaging all of the average section scores. A score of 0 indicates a shoreline that has been extremely disturbed by human impacts and no natural shoreline remains. A score of 100 indicates a shoreline that is nearly pristine.



How does your lake compare to others in the program?	How does	your lake	compare to	others in	the program?
--	----------	-----------	------------	-----------	--------------

Birch Lake:	
Number of Sections:	16
Number of Structures:	349
Structure Density:	21.8
Final Score:	49.9

All 43 Participating Lakes from 2	2015-2017:
Avg. Number of Sections:	16.3
Avg. Number of Structures:	248.5
Avg. Structure Density:	15.2
Avg. Final Score:	70.5



Analysis specific to Birch Lake:


Overall, the lakeshore habitat of Birch Lake is below average when compared to the other lakes in the program. All of the lake sections score poor or fair (9 poor, 7 fair).


This Lake scored best in the littoral score (with an average of 69), meaning that (in general) erosion was low and aquatic vegetation was present.

The riparian zone and erosion control scores were approximately the same (scoring an average of 46 and 45).

Reduce the amount of mowed grass and increase the amount of unmowed native vegetation along the lakeshore to boost the riparian zone aspect of the shoreline habitat.


To improve the erosion control score, lake residents need to remove seawalls and riprapped slopes and replace them with a natural shoreline like those seen at www.mishorelinepartnership.org.






Vertical bars indicate standard deviation


COOPERATIVE LAKES MONITORING PROGRAM SPRING TOTAL PHOSPHORUS



COOPERATIVE LAKES MONITORING PROGRAM SUMMER TOTAL PHOSPHORUS



COOPERATIVE LAKES MONITORING PROGRAM SUMMER MEDIAN CHLOROPHYLL-A




Vertical bars indicate standard deviation

Name:Birch LakeCounty:CassSite ID:140187Date:5/10/2023

Dissolved Oxygen and Temperature Profile

5/10/2023

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	15.5	12.81
5	15	13.03
10	14.4	13.2
15	12.2	14.31
17.5	11.5	14.37
20	11.2	14.9
22.5	10.6	15.06
25	10.3	15.16
27.5	9.6	15.55
30	9.8	16.51
32.5	8	17.16
35	7.2	17.07
37.5	6.9	17.06
40	6.4	16.53
42.5	6.1	15.89
45	5.9	14.8
50	5.7	14.5
55	5.6	13.73
60	5.5	13.3
65	5.4	12.55
70	5.3	12.44
75	5.3	11.73
80	5.3	11.23




Dissolved Oxygen (mg/L) / Temperature (C) Depth (feet) Temp.(C)

Name:Birch LakeCounty:CassSite ID:140187Date:5/23/2023

5/23/2023

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	18.8	11.13
5	18.2	11.66
10	17.5	11.88
15	16.6	12.77
17.5	15.2	15.66
20	13.7	15.81
22.5	11.4	14.79
25	11.2	15.8
27.5	10.2	16.35
30	9.1	16.63
32.5	8.5	17.19
35	7.8	16.73
37.5	6.9	16.6
40	6.7	16
42.5	6.4	15.57
45	6.2	14.76
50	5.9	13.63
55	5.8	12.76
60	5.7	12.27
65	5.5	12.05
70	5.5	11.36
75	5.4	10.9
80	5.4	10.21

Lake: Birch Lake (Cass Co.)




Name:Birch LakeCounty:CassSite ID:140187Date:6/13/2023

Dissolved Oxygen and Temperature Profile

6/13/2023


Depth (ft)	Temp.(C)	D.O. (mg/L)
1	20.3	10.89
5	20.5	11.3
10	20.5	10.94
15	20.5	10.8
17.5	20.4	10.98
20	18	13.76
22.5	15.9	15.16
25	14.1	15.09
27.5	12.3	14.89
30	10.8	15.46
32.5	10	15.81
35	9.2	15.58
37.5	8.4	15.4
40	7.7	15.29
42.5	7.3	14.7
45	6.9	14.23
50	6.5	13.25
55	6.2	12.29
60	6.1	11.54
65	5.9	10.5
70	5.7	9.62
75	5.7	9.22
80	5.5	8.2

Lake: Birch Lake (Cass Co.)




Name:Birch LakeCounty:CassSite ID:140187Date:6/29/2023

Depth (ft) Te	emp.(C) D.C). (mg/L)
1	22.8	11.12
5	22.6	10.82
10	22.5	10.65
15	22.3	10.43
17.5	21.5	11.26
20	19.7	13.06
22.5	17.6	13.87
25	15.5	13.84
27.5	13.6	13.9
30	12	14.36
32.5	10.6	14.58
35	9.5	14
37.5	8.8	14
40	8.2	13.98
42.5	7.6	13.66
45	7	12.96
50	6.6	11.78
55	6.3	10.93
60	6.1	10.09
65	5.9	9.88
70	5.7	8.69
75	5.6	7.44
80	5.5	5.41



Name:Birch LakeCounty:CassSite ID:140187Date:7/14/2023

Depth (ft) T	emp.(C) D.	O. (mg/L)
1	25.5	11.09
5	25.5	10.76
10	25.4	10.6
15	25.3	10.32
17.5	24.7	10.75
20	23.6	11.7
22.5	20.01	11.56
25	17.3	11.64
27.5	15	12
30	13	12.02
32.5	12.5	11.89
35	10.7	11.61
37.5	9.6	11.78
40	8.6	11.91
42.5	7.7	11.69
45	7.4	10.96
50	7	10.12
55	6.5	8.85
60	6.1	7.7
65	5.9	6.04
70	5.8	4.7
75	5.7	3.38
80	5.6	2.35



Lake: Birch Lake (Cass Co.)

7/14/2023


Name:Birch LakeCounty:CassSite ID:140187Date:8/10/2023

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	25.3	10.87
5	25.3	10.7
10	25.3	10.38
15	25.3	10.09
17.5	25.2	10.06
20	24.5	11.7
22.5	22.9	11.97
25	19	10.47
27.5	16.8	9.32
30	14.4	9.53
32.5	12.01	9.35
35	10.3	8.53
37.5	9.3	9.25
40	8.6	9.55
42.5	7.9	9.89
45	7.7	9.13
50	7	8.55
55	6.7	7.55
60	6.3	6.63
65	6.1	5.7
70	5.9	4.33
75	5.7	1.03
80	5.7	0.83


 Lake:
 Birch Lake (Cass Co.)
 8/10/2023

 Dissolved Oxygen (mg/L) / Temperature (C)



Name: Birch Lake County: Cass Site ID: 140187 Date: 8/26/2023


Depth (ft)	Temp.(C)	D.O. (mg/L)
1	25.9	9.88
5	25.9	9.82
10	25.9	9.99
15	25	10.91
17.5	24.2	10.91
20	23.9	10.6
22.5	22.1	10.78
25	20.4	10.73
27.5	17	9.96
30	14.01	9.04
32.5	13.1	8.02
35	11.5	7.48
37.5	9.9	7.75
40	9	8.45
42.5	8.3	7.71
45	7.8	6.92
50	7.1	6.08
55	6.8	5.38
60	6.4	4.63
65	6.3	4.13
70	6	2.76
75	5.8	1.61
80	5.8	1.16



^{8/26/2023}

Name:Birch LakeCounty:CassSite ID:140187Date:9/9/2023

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	23.7	9.61
5	23.7	9.67
10	23.7	9.68
15	23.6	9.72
17.5	23.6	9.58
20	23.6	9.59
22.5	23	9.75
25	20.9	10.05
27.5	17.6	9.4
30	15.5	8.45
32.5	12.3	7.49
35	11.1	6.26
37.5	10.1	6.16
40	9.5	6.69
42.5	8.5	6.4
45	7.8	6.09
50	7.1	4.45
55	6.7	3.41
60	6.4	2.1
65	6.1	1.27
70	5.9	0.93
75	5.8	0.75
80	5.8	0.6



Name:Birch LakeCounty:CassSite ID:140187Date:9/23/2023

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	21.3	10.69
5	21.3	10.45
10	21.3	10.3
15	21.4	10.17
17.5	21.4	10.14
20	21.3	9.94
22.5	21.2	9.84
25	20.7	9.47
27.5	17.5	8.64
30	15.4	7.72
32.5	13.7	6.71
35	12.1	5.4
37.5	10.6	4.58
40	8.6	4.99
42.5	8.2	4.53
45	7.7	3.78
50	7.1	2.85
55	6.7	1.6
60	6.4	0.86
65	6.1	0.55
70	6	0.45
75	5.8	0.39
80	5.8	0.35

