



2024 Data Report for Lake Lapeer, Lapeer County

Site ID: 440233

42.9702°N, 83.3695°W

The CLMP is brought to you by:



About this report:

This report is a summary of the data that have been collected through the Cooperative Lakes Monitoring Program. The contents have been customized for your lake. The first page is a summary of the Trophic Status Indicators of your lake (Secchi Disk Transparency, Chlorophyll-a, Spring Total Phosphorus, and Summer Total Phosphorus). Where data are available, they have been summarized for the most recent field season, five years prior to the most recent field season, and since the first year your lake has been enrolled in the program.

If you did not take 8 or more Secchi disk measurements or 4 or more chlorophyll measurements, there will not be summary data calculated for these parameters. These numbers of measurements are required to ensure that the results are indicative of overall summer conditions.

If you enrolled in Dissolved Oxygen/Temperature, the summary page will have a graph of one of the profiles taken during the late summer (typically August or September). If your lake stratifies, we will use a graph showing the earliest time of stratification, because identifying the timing of this condition and the depth at which it occurs is typically the most important use of dissolved oxygen measurements.

The back of the summary page will be an explanation of the Trophic Status Index and where your lake fits on that scale.

The rest of the report will be aquatic plant summaries, Score the Shore results, and larger graphs, including all Dissolved Oxygen/Temperature Profiles that you recorded. For Secchi Disk, Chlorophyll, and Phosphorus parameters, you need to have two years of data for a graph to make logical sense. Therefore if this is the first year you have enrolled in the CLMP, you will not receive a graph for these parameters.

Remember that some lakes see a lot of fluctuation in these parameters from year to year. Until you have eight years worth of data, consider all trends to be preliminary.

To learn more about the CLMP monitoring parameters or get definitions to unknown terms, check out the CLMP Manual, found at: https://micorps.net/wp-content/uploads/2021/03/CLMP-Manual-2019update2_2021.pdf

Thank you!

The CLMP leadership team would like to thank you for all of your efforts over the past year. The CLMP would not exist without dedicated and hardworking volunteers!

The CLMP Leadership Team is made of: Jo Latimore, Erick Elgin, Jean Roth, Tamara Lipsey, Mike Gallagher, Melissa DeSimone, and Paul Steen

Questions?

If you have questions on this report or believe that the tabulated data for your lake in this report are in error please contact:

Paul Steen (psteen@hrwc.org), CLMP Data Analyst


Lake Lapeer, Lapeer County

2024 CLMP Results



Secchi Disk Transparency (feet)

Year	# Readings	Min	Max	Average	Std. Dev	Carlson TSI
2024	16	2.0	4.5	2.8	1.0	62
2023	16	2.0	3.5	3.0	0.5	61
1980-1982	43	2.2	5.5	3.4	0.7	59
2024 All CLMP Lakes	3348	0.5	85.0	11.7	6.2	43



Chlorophyll-a (parts per billion)

Year	# Samples	Min	Max	Median	Std. Dev	Carlson TSI
2024	5	1.6	26.0	14.0	10.5	56
2024 All CLMP Lakes	708	< 1.0	63.0	2.8	7.3	41

No graph: Not enough data


Spring Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2024	1	20.0	20.0	20.0	NA	
2024 All CLMP Lakes	259	<= 5	140.0	14.3	39.7	


No graph: Not enough data

Summer Phosphorus (parts per billion)

Year	# Samples	Min	Max	Average	Std. Dev	Carlson TSI
2024	1	39.0	39.0	39.0	NA	57
2023	1	43.0	43.0	43.0	NA	58
2024 All CLMP Lakes	261	<= 5	140.0	14.6	11.9	43



Dissolved Oxygen and Temperature Profile



8/7/2024

Summary

Average TSI	2024	2023	1980-1982
Lake Lapeer	59	60	59
All CLMP Lakes	41	44	44

With an average TSI score of 59 based on 2024 Secchi transparency, chlorophyll-a, and summer total phosphorus data, this lake is rated as eutrophic.

Due to the high nutrient levels, this lake loses dissolved oxygen in the bottom waters periodically throughout the mid to late summer despite its low depth.

There is too little data to assess long term trends. CLMP recommends at least eight years of consistent monitoring to develop a strong data baseline. However, given this lake's eutrophic status and the lack of dissolved oxygen available throughout the summer, residents should be encouraged to take measures to reduce nutrient input into this lake and to continue monitoring efforts to establish trends and track lake health over time.

* = Minimum # samples not met for average/median/TSI value
<1.0 = Chlorophyll-a: Sample value is less than limit of quantification (<1 ppb).

Trophic Status Index Explained

In 1977, limnologist Dr. Robert Carlson developed a numerical scale (0-100) where the numbers indicate the level of nutrient enrichment. Using the proper equations, we can convert results from Summer Total Phosphorus, Secchi Depth, and Chlorophyll-a to this Trophic Status Index (TSI). The TSI numbers are furthermore grouped into general categories (oligotrophic, mesotrophic, eutrophic, and hypereutrophic), to quickly give us a way to understand the general nutrient level of any lake.


The tables below give the results-to-TSI conversions for the water quality data ranges normally seen in the CLMP. The formulas for this conversion can be found in the CLMP manual (link is on page 2 of this report).

Phosphorus (ppb)	TSI Value
<5	<27
6	30
8	34
10	37
12	40
15	43
18	46
21	48
24	50
32	54
36	56
42	58
48	60
>50	>61

Secchi Depth (ft)	TSI Value
>30	<28
25	31
20	34
15	38
12	42
10	44
7.5	48
6	52
4	57
<3	>61

Chlorophyll-a (ppb)	TSI Value
<1	<31
2	37
3	41
4	44
6	48
8	51
12	55
16	58
22	61
>22	>61

TSI for Lake Lapeer in 2024	
Average	59
Secchi Disk	62
Summer TP	57
Chlorophyll-a	56



Oligotrophic: Generally deep and clear lakes with little aquatic plant or algae growth. These lakes maintain sufficient dissolved oxygen in the cool, deep-bottom waters during late summer to support cold water fish, such as trout and whitefish.

Mesotrophic: Lakes that fall between oligotrophic and eutrophic. Mid-ranged amounts of nutrients.

Eutrophic: Highly productive eutrophic lakes are generally shallow, turbid, and support abundant aquatic plant growth. In deep eutrophic lakes, the cool bottom waters usually contain little or no dissolved oxygen. Therefore, these lakes can only support warm water fish, such as bass and pike.

Hypereutrophic: A specialized category of eutrophic lakes. These lakes exhibit extremely high productivity, such as nuisance algae and weed growth.

Lake Lapeer, Lapeer County

2024 CLMP Aquatic Plant Results



The Aquatic Plant Mapping survey was conducted on Lake Lapeer in 2024.

This survey involves intensive sampling at multiple locations and depths around the lake produce a complete map of all aquatic plants present in a lake. A great deal of effort is involved both on the lake and back on shore to identify plants, compile data, and develop a detailed plant map, but the result is an extremely valuable record of the plant community of the lake.

Aquatic plants were sampled from a total of 60 locations (15 transects) in Lake Lapeer in 2024. Below is a list of species reported, in order of relative abundance. Survey conducted June 18 - July 24, 2024.

Lake Lapeer, Lapeer County		
2024 Aquatic Plant Mapping: Species Reported		
<u>Common Name</u>	<u>Latin Name</u>	<u>Average Density*</u>
Brittle naiad	<i>Najas minor</i>	2.00
Muskgrass	<i>Chara</i> sp.	0.72
Long leaf pondweed	<i>Potamogeton nodosus</i>	0.28
Native milfoil	<i>Myriophyllum</i> sp.	0.13
White waterlily	<i>Nymphaea odorata</i>	0.13
Cattail	<i>Typha</i> sp.	0.08
Curly-leaf pondweed^	<i>Potamogeton crispus</i>	0.07
Sago pondweed	<i>Stuckenia pectinata</i>	0.07
Yellow waterlily	<i>Nuphar variegata</i>	0.03
Eurasian milfoil^	<i>Myriophyllum spicatum</i>	0.02
^invasive *Lakewide. Scale: 0 (absent) - 5 (dense)		

Visit the MiCorps Data Exchange (www.micorps.net) or contact the lead volunteer on your lake for more details on the survey, including sampling locations, maps, and abundance information, and for information on past surveys.


Lake Lapeer, Lapeer County

2024 Score the Shore Results

The Score the Shore Habitat Assessment was conducted on Lake Lapeer in 2024.

This assessment involves rating 1000 foot sections of shoreline for aquatic vegetation, shoreline vegetation, erosion, and erosion control practices (like sea walls). Each shoreline section is given three scores ranging from 0-100 for the categories of Littoral, Riparian, and Erosion Management. The three scores are averaged to produce a average section score. Then a total score is given to the entire lake by averaging all of the average section scores. A score of 0 indicates a shoreline that has been extremely disturbed by human impacts and no natural shoreline remains. A score of 100 indicates a shoreline that is pristine.

How does your lake compare to others in the program?



Lake Lapeer	
Number of Sections:	50
Number of Structures:	625
Structure Density:	12.5
Final Score:	49


All 123 Participating Lakes from 2015-2024:	
Avg. Number of Sections:	16
Avg. Number of Structures:	230
Avg. Structure Density:	12.2
Avg. Final Score:	73.2

Note about graph to the left: The dotted line sets the average expectation of the score of your lake. If your lake is lower than the dotted line, then your shoreline health is lower than average compared to *lakes with similar amount of shoreline development*. And vice-versa in regards to a lake above the dotted line.

Analysis specific to Lake Lapeer:


Overall, the lakeshore habitat of Lake Lapeer is below average when compared to the other lakes in the program with similar amount of development. The majority of sections are scoring Poor. This means there is plenty of room for improvement in Lake Lapeer's shoreline health.

The littoral zone was the weakest point in Lapeer Lake's habitat (scoring an average of 35). To improve the littoral zone score, leave woody debris in place, or introduce it specially, and allow native aquatic vegetation to grow in the shallow waters. You can get plenty of ideas for improving shoreline health from the Michigan Natural Shoreline Partnership. <https://www.shorelinepartnership.org/>




COOPERATIVE LAKES MONITORING PROGRAM
SUMMER MEAN TRANSPARENCY

Lapeer Lake (Lapeer Co.), 440233



COOPERATIVE LAKES MONITORING PROGRAM
SUMMER TOTAL PHOSPHORUS

Lapeer Lake (Lapeer Co.), 440233




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 5/15/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	18.5	9.97
5	18.2	9.63
10	17.2	6.3

Lake: Lake Lapeer (Lapeer Co.)

5/15/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 5/29/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	21.9	7.07
5	21.7	6.73
10	20.6	4.25
15	20	1.77

Lake: Lake Lapeer (Lapeer Co.)

5/29/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 6/12/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	22	9.5
5	21.6	9.3
10	20.1	6.3
15	19.7	3.91

Lake: Lake Lapeer (Lapeer Co.)

6/12/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 7/3/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	23.5	7.8
5	23.3	7.24
10	23	4.43
15	22.4	0.1

Lake: Lake Lapeer (Lapeer Co.)

7/3/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 7/10/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	24.4	4.92
5	24.4	4.6
10	24.5	4.6
15	23.7	0.6

Lake: Lake Lapeer (Lapeer Co.)

7/10/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 7/24/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	25.9	7.15
5	25.8	6.67
10	25.2	2.1
15	23.2	0.05

Lake: Lake Lapeer (Lapeer Co.)

7/24/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 8/7/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	25.5	5.2
5	25.2	4.2
10	25.1	4.3
15	24.9	2.3

Lake: Lake Lapeer (Lapeer Co.)

8/7/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 8/22/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	22.7	6.93
5	22	5.56
10	22	5.5
15	21.9	4.7

Lake: Lake Lapeer (Lapeer Co.)

8/22/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 9/4/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	23.8	7.1
5	23	6.2
10	22.9	4.92
15	22.6	0.1

Lake: Lake Lapeer (Lapeer Co.)

9/4/2024




Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 9/12/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	22.5	10.36
5	20.8	6.4
10	20.3	3.62
15	20.3	3.4

Lake: Lake Lapeer (Lapeer Co.)

9/12/2024



Name: Lake Lapeer
County: Lapeer
Site ID: 440233
Date: 9/25/2024

Dissolved Oxygen and Temperature Profile

Depth (ft)	Temp.(C)	D.O. (mg/L)
1	21.6	6.79
5	21.4	6.4
10	21.3	6.33
15	21.2	3.3

Lake: Lake Lapeer (Lapeer Co.)

9/25/2024

